

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

## 1 Identification

**Product Name:** Ritetite Turbo**Other Means of Identification:** Mixture**Product Code:** ET6-80220**Recommended Use of the Chemical and Restriction on Use:** Industrial and consumer use of adhesives.**Details of Manufacturer or Importer:**

Eurotech Group  
72 John Street  
Welshpool, WA 6106  
Australia

**Phone Number:** (08) 9350 6161**Emergency telephone number:**

Eurotech Group: 1800 30 6161  
National Poisons Information Centre: 13 11 26

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Flammable Liquids 4 H227 Combustible liquid.

**Signal Word** Warning**Hazard Statements**

H227 Combustible liquid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary Statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

**Product Name: Ritetite Turbo**

(Contd. of page 1)

P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

### 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures**
**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

CAS: 7085-85-0	Ethyl 2-cyanoacrylate	80-100%
	⚠ Skin Corrosion/Irritation 2, H315; Eye Irritation 2A, H319; STOT SE 3, H335; Flammable Liquids 4, H227	

### 4 First Aid Measures

**Inhalation:** If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately wash affected areas with water and soap. If bonded to skin, do NOT pull bonded skin apart. Submerge with water and soak affected area. Seek medical attention.

**Eye Contact:**

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Keep eye covered until product debonds from eye proteins, usually within 5 days. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Ensure breathing passages are not obstructed. Seek medical attention.

**Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May bond to skin. May cause burning in contact through cotton clothing.

Eye Contact: Causes serious eye irritation. May cause lachrymation. May bond to eye proteins and cause weeping.

Ingestion: May polymerise in mouth. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Do not use a solid water stream.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon and of nitrogen.

Product is combustible.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting measures entering drains or water courses.

HAZCHEM Code: 2Z

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

Product Name: Ritetite Turbo

(Contd. of page 2)

## 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and flood with water to complete polymerisation. Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from moisture and humidity as well as direct sunlight. Keep away from amines, water, bases, oxidising agents, and alcohols.

## 8 Exposure Controls and Personal Protection

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Engineering Controls:** Ensure adequate ventilation of the working area.

**Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Irritating, sharp

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

**Product Name: Ritetite Turbo**

(Contd. of page 3)

<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	-31 °C
<b>Initial Boiling Point/Boiling Range:</b>	214 °C
<b>Flash Point:</b>	82.5 °C
<b>Flammability:</b>	Combustible
<b>Auto-ignition Temperature:</b>	480 °C
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available
<b>Upper:</b>	No information available
<b>Vapour Pressure at 23.8 °C:</b>	<0.5 mm Hg
<b>Density:</b>	1.043 g/cm <sup>3</sup>
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Polymerises in the presence of water
<b>Partition Coefficient (n-octanol/water):</b>	No information available
<b>Viscosity:</b>	No information available

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:**

Rapid polymerisation will occur in the presence of moisture or other incompatible materials.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Protect from moisture and humidity as well as direct sunlight.**Incompatible Materials:** Amines, water, bases, oxidising agents, and alcohols.**Hazardous Decomposition Products:** Oxides of carbon and of nitrogen.

## 11 Toxicological Information

**Toxicity:****LD50/LC50 Values:****CAS: 7085-85-0 Ethyl 2-cyanoacrylate**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

**Acute Health Effects****Inhalation:** May cause respiratory irritation.**Skin:** Causes skin irritation. May bond to skin. May cause burning in contact through cotton clothing.**Eye:** Causes serious eye irritation. May cause lachrymation. May bond to eye proteins and cause weeping.**Ingestion:** May polymerise in mouth. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.**Skin Corrosion / Irritation:** Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:** May cause respiratory irritation.

(Contd. on page 5)

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

**Product Name: Ritetite Turbo**

(Contd. of page 4)

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

Prolonged exposure to high concentrations of vapours may lead to chronic effects in sensitive individuals.

**Existing Conditions Aggravated by Exposure:** No information available

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and Degradability:** Readily biodegradable in water.**Bioaccumulative Potential:** Low potential for bioaccumulation.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

**UN Number****ADG, IMDG**

Not regulated

**IATA**

UN3334

**Proper Shipping Name****ADG, IMDG**

Not regulated

**IATA**

Aviation regulated liquid, n.o.s.

**Dangerous Goods Class****ADG Class:**

Not regulated

**IATA Class:**

9

**Packing Group:****IATA**

III

**Hazchem Code:**

2Z

**Special Provisions:**

106, 274, 276

**Transport/Additional information:** Not regulated by the ADG code (SP 106). DG only applies when transported by air.

Inner packaging containing less than 500 mL do not exhibit the properties of aviation regulated liquids and may be shipped without restriction.

**Excepted quantities (EQ):**

E1

**Limited Quantities:**

0

(Contd. on page 6)

# Safety Data Sheet

according to WHS Regulations

Printing date 09.12.2022

Revision: 09.12.2022

**Product Name: Ritetite Turbo**

(Contd. of page 5)

## 15 Regulatory Information

**Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:**  
Poisons Schedule: 5

## 16 Other Information

**Date of Preparation or Last Revision:** 09.12.2022**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Eurotech Group makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.